


Powered By

 **YAMAHA 250 SHO**

Performance Data



Conditions	
Person(s)	1
Fuel on board	30
Top	HT
Jack Plate	Yes
Temp	88
Wind	1-2
Prop	19P SS II
Fuel Capacity	80

Performance Data, Test date 08.20.20

RPM	MPH	GPH	MPG	RANGE
1000	5.5	1.4	3.9	251
1500	7	2.5	2.8	179
2000	8	3.8	2.1	135
2500	11.8	5.6	2.1	135
3000	15.4	7.1	2.2	139
3500	29.8	9.9	3.0	193
4000	36.2	12	3.0	193
4500	40.6	15.2	2.7	171
5000	45.3	18.3	2.5	158
5500	50.3	22.3	2.3	144
5900	53.2	23.6	2.3	144

Time to Plane			
1st Run	2nd Run	3rd Run	Average
3.8	3.7	3.8	3.8

0-20 MPH			
1st Run	2nd Run	3rd Run	Average
5.8	5.6	5.1	5.5

0-30 MPH			
1st Run	2nd Run	3rd Run	Average
7.7	7.7	8.1	7.8




Note: These numbers are intended to provide a likeness of the described boat's performance. Crevalle Boats does not in any way guarantee that these exact numbers can be reproduced. Variations in boat weight, temperature, humidity, wind, fuel, operators ability and water are just some of the factors that affect boat performance.

Powered By



Performance Data



Conditions	
Person(s)	1
Fuel on board	30
Top	HT
Jack Plate	Yes
Temp	88
Wind	0
Prop	19
Fuel Capacity	80

Performance Data, Test date 10.8.20

RPM	MPH	GPH	MPG	RANGE
1000	5.5	1.5	3.7	235
1500	7.2	2.5	2.9	184
2000	8.6	4	2.2	138
2500	11.6	5.8	2.0	128
3000	25.3	7.1	3.6	228
3500	31.3	9.9	3.2	202
4000	36.2	12.8	2.8	181
4500	41.4	16.1	2.6	165
5000	46.6	19.8	2.4	151
5500	51.4	24.8	2.1	133
6000	55.2	25.4	2.2	139

Time to Plane			
1st Run	2nd Run	3rd Run	Average
3.1	3.5	3.6	3.4

0-20 MPH			
1st Run	2nd Run	3rd Run	Average
5.4	5.1	5.2	5.2

0-30 MPH			
1st Run	2nd Run	3rd Run	Average
7.4	7.6	7.1	7.4




Note: These numbers are intended to provide a likeness of the described boat's performance. Crevalle Boats does not in any way guarantee that these exact numbers can be reproduced. Variations in boat weight, temperature, humidity, wind, fuel, operators ability and water are just some of the factors that affect boat performance.

Powered By



Performance Data



Conditions

Person(s)	1
Fuel on board	30 gal
Top	Hard Top
Jack Plate	3" up
Temp	72
Wind	2-4
Prop	19P SSII
Fuel Capacity	80

Performance Data, Test date 12.14.20

RPM	MPH	GPH	MPG	RANGE
1000	5.7	1.4	4.1	261
1500	7.3	2.2	3.3	212
2000	8.9	3.6	2.5	158
2500	12.4	5.4	2.3	147
3000	25.2	6.8	3.7	237
3500	31.5	9.2	3.4	219
4000	37	12.1	3.1	196
4500	41.1	15.6	2.6	169
5000	43.8	20.5	2.1	137
5500	48.9	25.9	1.9	121
6000	53.6	26.6	2.0	129

Time to Plane			
1st Run	2nd Run	3rd Run	Average
3.5	3.9	3.7	3.7

0-20 MPH			
1st Run	2nd Run	3rd Run	Average
5.9	5.2	5.0	5.4

0-30 MPH			
1st Run	2nd Run	3rd Run	Average
7.3	7.0	7.2	7.2



Note: These numbers are intended to provide a likeness of the described boat's performance. Crevalle Boats does not in any way guarantee that these exact numbers can be reproduced. Variations in boat weight, temperature, humidity, wind, fuel, operators ability and water are just some of the factors that affect boat performance.

Powered By




250 SHO

Conditions

Person(s)	1
Fuel on board	30
Top	HT
Jack Plate	Yes
Temp	88
Wind	0
Prop	19
Fuel Capacity	80

Performance Data



Performance Data, Test date 10.8.20

RPM	MPH	GPH	MPG	RANGE
1000	5.5	1.5	3.7	235
1500	7.2	2.5	2.9	184
2000	8.6	4.0	2.2	138
2500	11.6	5.8	2.0	128
3000	25.3	7.1	3.6	228
3500	31.3	9.9	3.2	202
4000	36.2	12.8	2.8	181
4500	41.4	16.1	2.6	165
5000	46.6	19.8	2.4	151
5500	51.4	24.8	2.1	133
6000	55.2	25.4	2.2	139

Time to Plane			
1st Run	2nd Run	3rd Run	Average
3.1	3.5	3.6	3.4

0-20 MPH			
1st Run	2nd Run	3rd Run	Average
5.4	5.1	5.2	5.2

0-30 MPH			
1st Run	2nd Run	3rd Run	Average
7.4	7.6	7.1	7.4



Note: These numbers are intended to provide a likeness of the described boat's performance. Crevalle Boats does not in any way guarantee that these exact numbers can be reproduced. Variations in boat weight, temperature, humidity, wind, fuel, operators ability and water are just some of the factors that affect boat performance.