



2


20

80

4

18t

80



Performance Data, Test Date 08/09/2023

| RPM | MPH | GPH | MPG | RANGE |
|------|------|-------|-----|-------|
| 1000 | 5.1 | 1.30 | 3.9 | 251 |
| 1500 | 7.2 | 2.20 | 3.3 | 209 |
| 2000 | 9.0 | 3.90 | 2.3 | 148 |
| 2500 | 13.3 | 5.50 | 2.4 | 155 |
| 3000 | 18.4 | 6.80 | 2.7 | 173 |
| 3500 | 29.7 | 9.60 | 3.1 | 198 |
| 4000 | 35.3 | 12.20 | 2.9 | 185 |
| 4500 | 39.1 | 16.30 | 2.4 | 154 |
| 5000 | 43.7 | 21.90 | 2.0 | 128 |
| 5500 | 48.3 | 28.40 | 1.7 | 109 |
| 6000 | 53.5 | 26.80 | 2.0 | 128 |
| 6100 | 54.1 | 25.80 | 2.1 | 134 |

| Time to Plane | | | | |
|---------------|---------|---------|---------|--|
| 1st Run | 2nd Run | 3rd Run | Average | |
| 3.8 | 3.9 | 3.4 | 3.7 | |

| 0-20 MPH | | | | | | |
|---------------------------------|--|--|--|--|--|--|
| 1st Run 2nd Run 3rd Run Average | | | | | | |
| 4.6 5.2 4.7 4.8 | | | | | | |

| 0-30 MPH | | | | | |
|-----------------|---------|---------|---------|--|--|
| 1st Run | 2nd Run | 3rd Run | Average | | |
| 7.3 6.8 7.3 7.1 | | | | | |

Find us on **Facebook**



Note: These numbers are intended to provide a likeness of the discribed boats performance. Crevalle Boats does not in any way guarantee that these exact numbers can be reproduced. Variations in boat weight, temperature, humidity, wind, fuel, operators ability and water are just some of the factors that affect a boats performance.




B2318











| Conditions | | |
|---------------|-----|--|
| Person(s) | 1 | |
| Fuel on board | 20 | |
| Temp | 84 | |
| Wind | 5 | |
| Prop | 18T | |
| Fuel Capacity | 80 | |

Engine Model F300XSB

Performance Data, Test Date 09/01/2023

| RPM | MPH | GPH | MPG | RANGE |
|------|------|-------|-----|-------|
| 1000 | 5.5 | 1.30 | 4.2 | 271 |
| 1500 | 6.2 | 1.80 | 3.4 | 220 |
| 2000 | 7.7 | 2.40 | 3.2 | 205 |
| 2500 | 13.2 | 5.40 | 2.4 | 156 |
| 3000 | 16.0 | 6.90 | 2.3 | 148 |
| 3500 | 27.8 | 9.10 | 3.1 | 196 |
| 4000 | 33.6 | 11.80 | 2.8 | 182 |
| 4500 | 37.6 | 16.20 | 2.3 | 149 |
| 5000 | 41.8 | 21.50 | 1.9 | 124 |
| 5500 | 47.3 | 26.50 | 1.8 | 114 |
| 6000 | 52.2 | 26.00 | 2.0 | 128 |
| 6100 | 53.8 | 26.70 | 2.0 | 129 |

| Time to Plane | | | | | |
|---------------------------------|--|--|--|--|--|
| 1st Run 2nd Run 3rd Run Average | | | | | |
| 4.7 4.3 4.8 4.6 | | | | | |

| 0-20 MPH | | | | | |
|---------------------------------|--|--|--|--|--|
| 1st Run 2nd Run 3rd Run Average | | | | | |
| 4.9 4.6 4.7 4.7 | | | | | |

| 0-30 MPH | | | | | |
|---------------------------------|--|--|--|--|--|
| 1st Run 2nd Run 3rd Run Average | | | | | |
| 6.7 6.8 6.8 6.8 | | | | | |

Find us on Facebook



Note: These numbers are intended to provide a likeness of the discribed boats performance. Crevalle Boats does not in any way guarantee that these exact numbers can be reproduced. Variations in boat weight, temperature, humidity, wind, fuel, operators ability and water are just some of the factors that affect a boats performance.




B2319



Powered By:







| Conditions | | |
|---------------|-----|--|
| Person(s) | 1 | |
| Fuel on board | 20 | |
| Temp | 82 | |
| Wind | 5 | |
| Prop | 19T | |
| Fuel Capacity | 80 | |

Engine Model F300XSB2

Performance Data, Test Date 09/25/2023

| RPM | MPH | GPH | MPG | RANGE |
|------|------|-------|-----|-------|
| 1000 | 2.4 | 1.40 | 1.7 | 111 |
| 1500 | 6.8 | 2.00 | 3.4 | 217 |
| 2000 | 8.3 | 4.00 | 2.1 | 132 |
| 2500 | 13.4 | 5.70 | 2.4 | 150 |
| 3000 | 17.9 | 8.20 | 2.2 | 140 |
| 3500 | 27.9 | 9.50 | 2.9 | 188 |
| 4000 | 34.6 | 13.90 | 2.5 | 159 |
| 4500 | 39.1 | 19.70 | 2.0 | 127 |
| 5000 | 44.7 | 24.30 | 1.8 | 118 |
| 5500 | 52.8 | 26.50 | 2.0 | 128 |
| 5800 | 55.5 | 26.60 | 2.1 | 134 |
| 6000 | 56.0 | 27.00 | 2.1 | 133 |

| Time to Plane | | | | | |
|---------------------------------|-----|-----|-----|--|--|
| 1st Run 2nd Run 3rd Run Average | | | | | |
| 5.5 | 5.5 | 5.5 | 5.5 | | |

| 0-20 MPH | | | | | |
|---------------------------------|-----|-----|-----|--|--|
| 1st Run 2nd Run 3rd Run Average | | | | | |
| 6.7 | 7.0 | 6.6 | 6.8 | | |

| 0-30 MPH | | | | | |
|---------------------------------|--|--|--|--|--|
| 1st Run 2nd Run 3rd Run Average | | | | | |
| 8.9 8.6 8.7 8.7 | | | | | |

Find us on Facebook



Note: These numbers are intended to provide a likeness of the discribed boats performance. Crevalle Boats does not in any way guarantee that these exact numbers can be reproduced. Variations in boat weight, temperature, humidity, wind, fuel, operators ability and water are just some of the factors that affect a boats performance.



B2320



<u>24 HCO</u>

Conditions Powered By: Person(s) 1 Fuel on board 20 Performance Data 60.0 30.00 79 Temp 50.0 25.00 Wind 6 40.0 20.00 MPH GPH 30.0 15.00 Prop 18 20.0 10.00 **Fuel Capacity** 80 10.0 5.00 **Engine Model** 0.0 0.00 1000 1500 2000 2500 3000 3500 4000 4500 5000 5200 5500 MPH RPM **300AMS Black** GPH

Performance Data, Test Date 11.06.2023

| RPM | МРН | GPH | MPG | RANGE |
|-------------------|------|-------|-----|-------|
| 1000 | 5.0 | 1.50 | 3.3 | 213 |
| 1500 | 6.9 | 2.20 | 3.1 | 201 |
| 2000 | 8.9 | 4.00 | 2.2 | 142 |
| 2500 | 12.9 | 6.40 | 2.0 | 129 |
| 3000 | 22.1 | 6.80 | 3.3 | 208 |
| 3500 | 26.2 | 9.00 | 2.9 | 186 |
| 4000 | 33.2 | 11.90 | 2.8 | 179 |
| 4500 | 38.1 | 17.20 | 2.2 | 142 |
| 5000 | 41.8 | 23.30 | 1.8 | 115 |
| [*] 5200 | 43.4 | 24.70 | 1.8 | 112 |
| 5500 | 47.7 | 24.30 | 2.0 | 126 |
| 6000 | 54.2 | 25.30 | 2.1 | 137 |

| Time to Plane | | | | | |
|---------------------------------|-----|-----|-----|--|--|
| 1st Run 2nd Run 3rd Run Average | | | | | |
| 3.8 | 3.7 | 4.1 | 3.9 | | |

| 0-20 MPH | | | | | | |
|---------------------------------|-----|-----|-----|--|--|--|
| 1st Run 2nd Run 3rd Run Average | | | | | | |
| 3.9 | 4.0 | 3.8 | 3.9 | | | |

| 0-30 MPH | | | | | |
|---------------------------------|--|--|--|--|--|
| 1st Run 2nd Run 3rd Run Average | | | | | |
| 6.1 6.0 6.2 6.1 | | | | | |

Find us on Facebook



Note: These numbers are intended to provide a likeness of the discribed boats performance. Crevalle Boats does not in any way guarantee that these exact numbers can be reproduced. Variations in boat weight, temperature, humidity, wind, fuel, operators ability and water are just some of the factors that affect a boats performance.




B2321









| Conditions | | | |
|--------------------|------|--|--|
| Person(s) 2 | | | |
| Fuel on board | 20 | | |
| Temp | 88 | | |
| Wind | 11 | | |
| Prop | 21.5 | | |
| Fuel Capacity | 80 | | |

DF300

Performance Data, Test Date 10/24/2023

| I | 2214 | | | 1450 | DANGE |
|---|------|------|-------|------|-------|
| | RPM | MPH | GPH | MPG | RANGE |
| | 1000 | 4.0 | 1.20 | 3.3 | 213 |
| | 1500 | 6.6 | 2.40 | 2.7 | 175 |
| | 2000 | 8.2 | 3.70 | 2.2 | 141 |
| | 2500 | 12.0 | 5.80 | 2.1 | 132 |
| | 3000 | 22.0 | 6.80 | 3.2 | 207 |
| | 3500 | 31.9 | 8.20 | 3.9 | 249 |
| | 4000 | 35.8 | 12.30 | 2.9 | 186 |
| | 4500 | 40.8 | 14.60 | 2.8 | 179 |
| * | 5000 | 46.1 | 23.00 | 2.0 | 128 |
| | 5500 | 50.4 | 24.90 | 2.0 | 130 |
| | 6000 | 54.9 | 25.60 | 2.1 | 137 |
| | 6050 | 56.4 | 26.30 | 2.1 | 137 |

| Time to Plane | | | | | |
|---------------------------------|-----|-----|-----|--|--|
| 1st Run 2nd Run 3rd Run Average | | | | | |
| 6.5 | 5.9 | 6.6 | 6.4 | | |

Engine Model

| 0-20 MPH | | | | | | |
|---------------------------------|-----|-----|-----|--|--|--|
| 1st Run 2nd Run 3rd Run Average | | | | | | |
| 7.8 | 8.4 | 7.9 | 8.0 | | | |

| 0-30 MPH | | | | | |
|---------------------------------|------|------|------|--|--|
| 1st Run 2nd Run 3rd Run Average | | | | | |
| 10.6 | 10.7 | 11.1 | 10.8 | | |

Find us on Facebook



Note: These numbers are intended to provide a likeness of the discribed boats performance. Crevalle Boats does not in any way guarantee that these exact numbers can be reproduced. Variations in boat weight, temperature, humidity, wind, fuel, operators ability and water are just some of the factors that affect a boats performance.



B2323



50.0

45.0

40.0

35.0

30.0

25.0

20.0

15.0

10.0

5.0 0.0

HdΜ



2


20

72

10

18P

80



Performance Data, Test Date 03/18/2024

| | RPM | MPH | GPH | MPG | RANGE |
|---|------|------|-------|-----|-------|
| | 1000 | 5.3 | 1.50 | 3.5 | 227 |
| | 1500 | 6.7 | 2.40 | 2.8 | 179 |
| | 2000 | 8.5 | 3.90 | 2.2 | 140 |
| | 2500 | 10.5 | 5.90 | 1.8 | 114 |
| | 3000 | 15.4 | 6.90 | 2.2 | 143 |
| | 3500 | 25.7 | 9.00 | 2.9 | 183 |
| | 4000 | 30.8 | 12.20 | 2.5 | 162 |
| | 4500 | 35.7 | 16.50 | 2.2 | 138 |
| | 5000 | 40.4 | 23.50 | 1.7 | 110 |
| * | 5300 | 43.9 | 25.30 | 1.7 | 111 |
| | 5500 | 46.6 | 25.70 | 1.8 | 116 |
| | 6050 | 54.0 | 23.80 | 2.3 | 145 |

| Time to Plane | | | | | |
|---------------|---------|---------|---------|--|--|
| 1st Run | 2nd Run | 3rd Run | Average | | |
| 5.0 | 4.7 | 4.8 | 4.8 | | |

| 0-20 MPH | | | | | |
|----------|---------|---------|---------|--|--|
| 1st Run | 2nd Run | 3rd Run | Average | | |
| 4.7 | 4.6 | 4.7 | 4.7 | | |

| 0-30 MPH | | | | | |
|----------|---------|---------|---------|--|--|
| 1st Run | 2nd Run | 3rd Run | Average | | |
| 5.9 | 6.1 | 5.9 | 6.0 | | |

Find us on Facebook



Note: These numbers are intended to provide a likeness of the discribed boats performance. Crevalle Boats does not in any way guarantee that these exact numbers can be reproduced. Variations in boat weight, temperature, humidity, wind, fuel, operators ability and water are just some of the factors that affect a boats performance.



Boat # 2324